

Hearing Requirements

The Police Service has a hearing standard which applicants must meet at the time of applying to the force. These tests must be completed by an audiologist. The standards are:

Pure tone hearing loss in the worst ear must be no greater than the following

Frequency	500 Hz	1000 Hz	2000 Hz	3000 Hz
dB Loss	25 dB	25 dB	25 dB	35dB

OR

No greater than 30 dB at any one of the first three frequencies, and average of four frequencies no greater than 30 dB.

Appendix 1 contains a form indicating this standard. Please provide it to your audiologist for completion. Your audiologist's signature, address and phone number must appear on the form when you return it with your application. **All costs associated with the hearing test are borne by the applicant.**

A. Applicant Particulars

Surname	Given names	
Address		Postal Code

B. Findings of Examiner

	500 Hz	1000 Hz	2000 Hz	3000 Hz
Standard dB Loss	25 db	25 dB	25 dB	35 dB
Right Ear				
Left Ear				
Pure tone hearing loss in the worst ear may be no greater than the Standard dB Loss above or no greater than 30 dB at any one of the first 3 frequencies, and average of the 4 frequencies no greater than 30 dB.				

Other conditions or comments (if space is insufficient, please attach separate page)

--

Candidate meets standard stated below:

☐ Yes

☐ No

C. Particulars Regarding Examiner

Surname	Qualifications
Initials	
Address (Number, Street, Suite no., City)	Signature
Telephone	Date of Examination